

P: 0800 50 10 10 E: info@alphaequipment.co.nz

CAG

W: www.alphaequipment.co.nz

RENTAL GUIDE EARTHMOVING, CIVIL & CONSTRUCTION EQUIPMENT

3

PALEES



> The Alpha Story

Alpha Equipment Rental & Sales started May 2011 in Christchurch, specializing in earthmoving and associated equipment from 1.0 to 30.0 tonne. Recognising the need for a flexible rental company with high quality, up to date equipment based on excellent service, the business has experienced rapid growth in both rental and sales.

With possibly the most up to date fleet in the industry, sourced globally, Alpha has developed into the first point of call for the civil contractor, road and earthworks contractor. Many lines are exclusive whilst others have been specifically adapted by manufacturers to be 'rental tough' and meet our company's exacting standards.

Alpha's aim has always been to provide the best customer experience, quality assured service and be the preferred rental company. Our management and staff strive continuously for higher standards in all operations.

> Contents

| Rental Benefits Excavators Wheel Loaders Dumpers Track Loaders Skid Steer Loaders Graders Vibrating Plate Compactors | 03 04-06 07-09 10-11 12 13 14 15 |
|---|---|
| Trench Rollers | 16 |
| Twin Drum Rollers | 17-18 |
| Single Drum Rollers | 19 |
| Pneumatic Tyre Rollers | 20 |
| Combination Rollers | 21 |
| Single Padfoot Rollers | 22 |
| Water Tank Units | 23 |
| Excavator Attachments | 24-29 |
| Skid Steer Attachments | 30-36 |
| Transport | 37 |
| Sales | 38 |
| Contact us | 39 |

> Disclaimer

*While Alpha Equipment Rental & Sales makes every effort to supply the equipment and machinery displayed in this brochure, all equipment offered is subject to availability, and the products displayed are just an indication of the range and size of machines that we have available. Should Alpha Equipment Rental & Sales through whatever circumstances need to offer an alternative make or model, you can be assured that it will be of the same quality, and will do the same job as the machine in question. All information in this brochure is deemed correct at time of production, but we would urge customers to check all details at the time of rental, enquiry or purchase, to ensure no information is misleading. Alpha Equipment Rental & Sales reserves the right to change information without prior notice.

Rental Benefits

> 10 Good Reasons to Rent!

Contractors know that renting is the smarter way to run their business

Here's why

1. Flexible Machine Requirements?

Supplement your core fleet. Get the right machine for your job!

2. Free Maintenance

No costly services, service tooling, spare parts and those cumbersome maintenance records. We do it all for you! Apart from the usual daily checks, our rental agreements cover complete maintenance of the equipment, so you don't have to.

3. Free Storage

No need to maintain a costly storage yard! Just give us a call for quick delivery, pick-up, transfer or simply return the equipment when you've finished using it. We'll take care of the equipment storage.

4. Free up your Business Capital

Free up your capital investment for other demands within your business so you can grow.

An expense is only incurred for the equipment when it is needed for a particular job. Release your business from the often hidden costs associated with equipment ownership.

5. Better your Borrowing Power

Renting equipment does not appear as a liability on your business' balance sheet. So renting can actually increase your borrowing power by offering a better ratio of assets to liabilities.

6. Save Time

As all of our fleet is for sale, our fleet is one of the youngest in New Zealand with newer, reliable equipment that is put through a rigorous maintenance routine by trained mechanics prior to each rental. Less costly breakdowns!

7. Get Your Job Completed More Efficiently

Expect innovation from ALPHA. We source preferred brands of equipment from around the world utilizing the latest ideas available today. The right machine for the job. No more "just getting by" with the wrong equipment.

8. Save money

Equipment ownership is costly. The value of equipment depreciates over time. Renting from ALPHA allows you to use the latest equipment without the concern of costly depreciation. No more trying to get the job done with old, worn out equipment.

9. Try Before You Buy

Thinking of buying? Ask about our popular "Hire to buy" option. It's simple. You agree on a purchase price before you start and if you purchase, half of your raw rental costs comes off the agreed price. You can operate it on your job to make sure it exceeds all expectations. If not, simply return it as a normal hire without the obligation to buy!

10. Service & Trust

Call our team for equipment and applications. We will work with you to become your trusted rental source and make your job easier.

Bottom line: ALPHA Equipment Rental & Sales will get top quality equipment to you fast, at the right price!





Mini Excavators



Mini Excavator Specifications

| Category | Dig Depth (mm) | Width (mm) | Height (mm) |
|----------|----------------|------------|-------------|
| 1.7 ton | 2300 | 950 - 1280 | 2300 |
| 2 ton | 2440 | 1380 | 2400 |
| 2.5 ton | 2950 | 1500 | 2490 |
| 3.5 ton | 2810 - 3300 | 1740 | 2570 |

> Attachments Available

A variety of Dig, Wide, Trench, Screen and Tilt buckets - Hydraulic Hammers – Vibratory Compaction Plates – Buckets Grabs – Auger Drives & Bits and more.

> Details

Features like rubber tracks, zero swing, swing boom, quick hitch and dozer blades make our mini excavators an essential part of any work site! Available from 1.7 to 3.5 ton.

Medium Excavators





| Medium Excavator Specifications | | | | |
|---------------------------------|----------------|-------------|-------------|--|
| Category | Dig Depth (mm) | Width (mm) | Height (mm) | |
| 5 ton | 3700 – 3900 | 1990 | 2550 | |
| 8 ton | 4400 - 4800 | 2270 – 2320 | 2600 | |
| 10 ton | 4530 | 2320 | 2810 | |

> Attachments Available

A variety of Dig, Wide, Trench, Screen and Tilt buckets - Hydraulic Hammers – Vibratory Compaction Plates – Buckets Grabs – Auger Drives & Bits and more.

> Details

Features like rubber tracks, zero swing, swing boom, quick hitch and dozer blades make our medium excavators an essential part of any work site! Available from 5 to 10 ton.

Large Excavators



| | Execute | Lar Chao | ificationa |
|-------|---------|----------|------------|
| Larde | | | ifications |
| | | | |

| Category | Dig Depth (mm) | Width (mm) | Height (mm) |
|----------|----------------|-------------|-------------|
| 14 ton | 5480 - 5520 | 2490 | 2999 |
| 22 ton | 6620 - 6720 | 2800 - 3080 | 3130 |
| 25 ton | 6650 - 6750 | 2800 – 2990 | 3100 |
| 30 ton | 7350 | 3190 | 3060 |

> Attachments Available

A variety of Dig, Wide, Trench, Screen and Tilt buckets - Hydraulic Hammers – Vibratory Compaction Plates – Buckets Grabs – Auger Drives & Bits and more.

> Details

Our large excavators range from 14 to 30 ton in size and are available with a hug range of attachments. All have ROP's, air conditioned cabins and most models include – anti burst valves, motion alarms and reserve cameras which make them suitable for any site!

Small Wheel Loaders





| Small W | neel Loader Specific | cations | |
|----------|-----------------------------------|-------------|-------------|
| Category | Bucket Capacity (m ³) | Weight (kg) | Q/H & forks |
| 2 ton | 0.3 | 1650 | Yes |
| 4 ton | 0.5 | 3815 | Yes |

> Attachments Available

General purpose bucket 4-in-1 bucket Pallet forks Sweeper brooms

> Details

Articulated Loaders are ideal work site carry alls. Fitted with a bucket or a set of pallet forks, they become a handy work horse for maneuvering all kinds of materials and soils. Featuring parallel lift, great visibility and durability wheel loaders are simple and comfortable to use, and extremely useful.

Medium Wheel Loaders



| Medium Wheel Loader Specifications | | | |
|------------------------------------|-----------------------------------|-------------|-------------|
| Category | Bucket Capacity (m ³) | Weight (kg) | Q/H & forks |
| 6 ton | 0.75 | 5640 - 6600 | Yes |
| 8 ton | 1.3 | 7000 – 7500 | Yes |
| 10 ton | 1.9 | 9800 | |


> Attachments Available General purpose bucket 4-in-1 bucket Pallet forks

> Details

Articulated Loaders are ideal work site carry alls. Fitted with a bucket or a set of pallet forks, they become a handy work horse for maneuvering all kinds of materials and soils. Featuring parallel lift, great visibility and durability wheel loaders are simple and comfortable to use, and extremely useful.

Large Wheel Loaders





> Attachments Available General purpose bucket Scales Pallet forks

> Details

Articulated Loaders are ideal work site carry alls. Fitted with a bucket or a set of pallet forks, they become a handy work horse for maneuvering all kinds of materials and soils. Featuring parallel lift, great visibility and durability wheel loaders are simple and comfortable to use, and extremely useful.



Category 1200 kg (track) Weight (kg) 1100

Load Capacity (kg) 1120

> Details

Our range of Dumpers vary in sizes starting with a 1200kg track dumper then we offer wheel dumpers also.

They are able to traverse any surface or weather condition and are essential support to a mini excavator or small loader on site!

These machines are the best alternative when transporting loads or bulk materials through narrow places and over unprepared, irregular or slippery ground surfaces.

Site Dumpers





| Site Dumper Specifications | | | |
|--|-------------|---|--|
| Category | Weight (kg) | Load Capacity (kg) | |
| 1 ton | 1261 | 1000 | |
| 3 ton | 2550 | 3000 | |
| 6 ton | 4240 | 6000 | |
| 9 ton | 4800 | 9000 | |
| The second s | | and the second se | |

> Details

Our range of Dumpers vary in sizes starting with a track dumper then from 1 ton to 9 ton wheel dumpers.

They are able to traverse any surface or weather condition and are essential support to a mini excavator or small loader on site!

These machines are the best alternative when transporting loads or bulk materials through narrow places and over unprepared, irregular or slippery ground surfaces with constant 4x4 traction and agility.





Track Loaders

| Track Loader Specifications | | | |
|-----------------------------|-------------|---------------------------|----------------------------|
| Category | Weight (kg) | Hydraulic Flow (L/min) | Max Tipping Height (mm) |
| 30 HP | 1650 | 38.0 | 2300 |
| 65 HP | 3400 | 69.0 | 2825 – 3000 |

> Attachments Available

4-in-1/GP Bucket – Levelling Bars - Auger Drives & Bits – Pallet Forks – Dozer Blades – Bucket Brooms – Harley Rakes – Plant Trailers

> Details

75 HP

4100

Track loaders are the most versatile tool for any bulk material movement tasks. With ultimate comfort, ease of use and cause minimal surface damage, they are favoured on any construction, landscaping, civil and forestry work site.

3075

76.0

Skid Steer Loaders





| Skid Stee | er Loader Sp | pecifications | | 1. S. 2. 1. 1. |
|-----------|--------------|---------------------------|----------------------------|---|
| Category | Weight (kg) | Hydraulic Flow (L/min) | Max Tipping Height (mm) | > Attachments 4-in-1/GP Bucket – L |
| 60 HP | 2650 | 61.0 | 2850 | Bars - Auger Drives Pallet Forks – Dozer |
| 75 HP | 3650 | 84.0 | 3230 | Bucket Brooms – Ha |

Available Levelling

& Bits r Blades arley Rakes

> Details

Skid Steers are ideal for all rapid material movement, site clearing/cutting tasks, and with a huge range of work attachments, these machines become invaluable for all earthmoving or clearing jobs.



Graders



| Grader Spe | cifications | |
|------------|-------------|------------|
| Category | Weight (kg) | Board (ft) |
| 8 ton | 7650 | 10 |

> Attachments Available Front Push Blade – Rear Rippers

> Details

Our Graders offer a ton of big Grader features, this workhorse machine is in a compact frame tailored for any highly demanding industry. Perfect for road and shoulder maintenance, ditch cleanout, alley work, site preparation or recreational field developments.

Vibrating Plate Compactors

| Vibrating Plate Compactor Specification | IS |
|---|----|
| | |

| Category | Weight (kg) | Plate Width (mm) |
|----------|-------------|------------------|
| 60 kg | 70 | 400 |
| 70 kg | 65 – 75 | 280 |
| 90 kg | 99 | 500 |
| 200 kg | 206 | 500 |
| 300 kg | 281 | 550 |
| 400 kg | 412 | 590 |
| 500 kg | 475 | 610 |
| 600 kg | 589 | 711 |

> Details

weberm

CRG

Our Vibrating Plate Compactors range in weights and sizes, giving you a great range suitable for light through to heavy compaction jobs. - Also the new "Compatrol" compaction meter, on selected models, which provides a real time display of the level of compaction created by the vibrating plate.

> Trench Rollers Remote control

| Trench Roller (remote control) Specifications | | | |
|---|-------------|-----------------|---------------------|
| Category | Weight (kg) | Drum Width (mm) | Configuration |
| 1500 kg | 1380 – 1594 | 812 - 854 | Pivot or Skid steer |

> Details

16.

WACKER

2826

Remote Control Trench Rollers are the perfect solution for compacting surfaces that are extremely difficult or unsafe to access with any other roller.

- Featuring remote control, lifting eye and skid steer/articulated drive, they are suitable for deep trenches and confined areas.

Small Twin Drum Rollers





| Small Twin Drum Roller Specifications | | |
|---------------------------------------|-------------|-------------|
| Category Weight (kg) Drum Width (mm) | | |
| 1.5 ton | 1485 | 900 |
| 3 ton | 2460 - 2700 | 1100 – 1200 |

> Details

Small twin drum rollers are extremely versatile, providing dual amplitude and dual vibration, making them suitable for asphalt surfaces and granular sub-bases. Ranging from 1.5 up to 3 ton, we will have the size you need that you can tow behind your vehicle to any site.

Large Twin Drum Rollers

| Large Twin Drum Roller Specifications | | |
|---------------------------------------|-------------|-----------------|
| Category | Weight (kg) | Drum Width (mm) |
| 4 ton | 3800 - 4250 | 1300 – 1380 |
| 7 ton | 7150 | 1500 |
| 9 ton | 8500 | 1680 |

> Details

Twin drum rollers are extremely versatile, providing dual amplitude and dual vibration, making them suitable for asphalt surfaces and granular sub-bases. Ranging from 4 up to 9 ton, we will have the size you need.

-

Single Drum Rollers



| Single Drum Roller Specifications |
|-----------------------------------|
|-----------------------------------|

| Category | Weight (kg) | Drum Width (mm) |
|----------|---------------|-----------------|
| 7 ton | 7800 | 1690 |
| 12 ton | 12200 - 14800 | 2130 |

> Attachments Available Padfoot Shells

> Details

Perfect for granular, course and semi-cohesive materials, our single drum rollers provide a smooth, clean and compact work surface. Ranging in size from 7 to 12 ton, we are sure to have the machine that you need.



Pneumatic Tyre Rollers

| Pneumatic Tyre Roller Specifications | | | |
|--------------------------------------|-------------------------|-----------------------|-------------------|
| Category | Unballasted Weight (kg) | Ballasted Weight (kg) | Roller Width (mm) |
| 5 ton | 5025 | 8850 | 2130 |
| 10 ton | 9630 | in the | 2040 |

> Details

20.

Pneumatic Tyre (or PTR Rollers) rollers are perfect for finishing and surface sealing. Suitable for granular, cohesive/semi-cohesive material surfaces. Providing variable ballast weight, you will get the surface just as you want it!

Combination Rollers





| Combination Roller Specifications | | |
|-----------------------------------|-------------|-----------------|
| Category | Weight (kg) | Drum Width (mm) |
| 3 ton | 2400 – 2570 | 1200 |
| 4 ton | 3510 - 3700 | 1300 |
| 9 ton | 9500 | 1680 |

> Details

With our wide range of combination rollers, we have the right one to suit all job sizes. With the high amplitude they have the capacity to reach a tons-per-day production rate, that make them excellent for shoulders, small to medium parking lots, lane additions and other similar sized jobs.

21

Single Padfoot Rollers

O BON

Œ

| Single Padfoot Roller Specifications | | | |
|--------------------------------------|-------|------|--|
| Category Weight (kg) Drum Width (n | | | |
| 14 ton | 14850 | 2130 | |

> Details

22.

FAYAT GROUD

Padfoot drum rollers are suitable for cohesive, semi-cohesive and granular surfaces. With our 14 ton padfoot this provides great compaction levels, suitable for all civil and construction projects.

Water Tank Units





| Water Tank Unit Specifications | | | |
|--------------------------------|----------------|-----------------|-------------------|
| Category | Capacity (ltr) | Configuration | Spray |
| 1000 L | 1000 | Skid mounted | Nozzle & 10M hose |
| 2000 L | 2000 | Trailer mounted | Bar & 10M hose |

> Details

Water tank units are the perfect solution for bulk water cartage, or dust/fire suppression (using the pump and hose provided). The robust, durable design ensures that they are simple to use and long lasting.



Attachments

OBBLO MARKA

JMG237

Phillillill

0800 50 10 10 | www.alphaequipment.co.nz

25.

ŧŧ

Excavator Attachments





Auger Drives & Bits > Details

We stock auger drives, bits and extensions to suit any size excavator, skid steer or track loader. Let us source an auger drive to suit your machine, just give us the required dimensions! Range includes:

- Several types of cradles and hitches
- Drives suitable for 1.7 up to 25ton machines
- Extensions from 500mm up to 3000mm
- Bit for 1.7 up to 3.5ton 200mm 600mm
- Bit for 5 up to 25ton 200mm 1200mm



Hydraulic breakers

Our range of hydraulic rock breakers will be suitable for any rock breaking task you may get. They feature a new refined design.

- Sizes range from 1.7 up to 25 ton
- Chisels range from 40mm up to 175mm



Excavator Attachments



Bucket Grabs

> Details

Our range of hydraulic bucket grabs will be suitable for any demolition task you may get. They feature specially manufactured high-capacity cylinder. The robust design and wear-resistant steel ensures longer duration of use with less maintenance required. Extremely large jaw opening.

Sizes range from 3.5 up to 25 ton





Root Rakes


> Details

Our range of root rakes are great for any bush clearing or undergrowth removal tasks. - Sizes range from 12 to 25 ton





Excavator Attachments





Rippers

> Details

Our range of rippers will always meet your needs no matter what size of excavator you have. Excellent for all trenching tasks and ripper stubborn surfaces.



Shaker Buckets

> Details

We stock a large range of shaker buckets to suit most excavators.

Shaker buckets do a perfect job of sorting and separating all types of material.

· Sizes range from 5 up to 25 ton

2 AX

28.

Excavator



> Details

Our range of Hydraulic compaction plates will fit a wide variety of excavators.

Perfect for compacting the base surface of a trench once it has been dug.

- Sizes range from 5 up to 25 ton



Compaction Wheels

> Details

We have compaction wheels to fit a variety of excavators.

These are great for compacting in a trench using the excavators own weight.

Sizes range from 12 to 25 ton



0800 50 10 10 | www.alphaequipment.co.nz

Skid Steer

CAT



1±

Attachments

0800 50 10 10 | www.alphaequipment.co.nz

1

CAT 25

1±

Skid Steer



4-in-1 Buckets

> Details

All our skid steers and track loaders come standard with a 4-in-1 loader bucket.

Perfect for any digging, scraping and clearing jobs.





32.

Levelling Bars

> Details

Our heavy duty levelling bars are great for levelling and smoothing most surfaces. Available for all ski steers and track loaders equipped with a 4-in-1 bucket.





Auger Drives & Bits

> Details

We stock auger drives, bits and extensions to suit any skid steer or track loader. Range includes:

- Several types of cradles and hitches
- Augers from 200mm up to 600mm
- Extensions from 500mm

Harley Rakes

Our heavy duty, robust Harley Rakes are renowned for the ability to churn up any kind of surface and remove any unwanted debris left lying around. They are perfect for maintaining a smooth, clean workable surface on any job.



33.



ł

Sweeper Broom

> Details

Our bucket brooms are perfect for major site cleans.

With strong bristles they are able to remove difficult residue left on hard surfaces.



Sweeper Broom

> Details

Our angle brooms are perfect for major site cleans. With strong bristles they are able to remove difficult residue left on hard surfaces.

34.





6-way Dozer Blade

> Details

Our Dozer Blades are great for soil cutting and bulk material movements.

LAA

They are extremely agile angling in six different directions.

Pallet Forks

> Details

We stock a large range of Pallet Forks suitable for any skid steer, track loader or articulated loader with a standard hitch plate.

Turn your machine into an all-terrain forklift with on attachment.

35



> Details

Ideal for all Skid Steer Loaders with flows from 20 -75 LPM. Bigfoot trencher is suitable for trenching 750mm to 900mm digging depth and 200mm wide. Frame can be side shifted for digging close to permanent structures such as buildings, trees etc. Takes the work out of pipe laying for irrigation, underground power and communications.



Road Planer > Details

The Patch Planer allows the operator precision planning up to a maximum depth of 115mm. The 400mm wide cutting drum ensures that only the minimal amount of roadwork is planed ensuring cost effective re-instatement. The easy adjustment of the wheel configuration allows the operator to plane up to the kerb/grid edge.



ŧŧ

Machinery Transport





On Time, All the Time!

> Details

- We can transport all large machinery to your site.

- We offer flexible delivery and collection times.

- We work around you so you have machinery and equipment when you need it.

- You can arrange your own transport for any machines.

Come & Pick it up

> Details

- We offer plant trailers for all of our smaller machines. You can pick up your machine at your convenience.

- Our trailers suit mini excavators, rollers, dumpers and skid steers/track loaders of a towable weigh.

37.

Equipment Sales


1 0575

KUBOTA

JJF150

ANMAR

YANMAR



YANMAR

Late model, low hour machines directly from our fleet are always available

JUST GIVE US A CALL! 0800 50 10 10

0800 50 10 10 l www.alphaequipment.co.nz

Contact Us

Call us to discuss:

>The RIGHT machine for your next job! We'll help you decide on the best and most appropriate rent options!

How you can take advantage of our "rent before you purchase" options as an approved customer.

>And with ALPHA on your side as your rental company, you'll feel really confident that you'll always have the safe and compliant equipment you need to get the job done.

Why?

Because, as part of our commitment to personal service, we'll stay in touch, talk about your upcoming projects and get the right machines in WHEN YOU NEED THEM!

Come and see us at...

35 Edmonton Road, Hornby Christchurch



P: 0800 50 10 10

E: info@alphaequipment.co.nz W: www.alphaequipment.co.nz

AlphaEquipment



P: 0800 50 10 10 E: info@alphaequipment.co.nz W: www.alphaequipment.co.nz

